

**SEMINOLE COUNTY GOVERNMENT
AGENDA MEMORANDUM**

SUBJECT: Acceptance of Cutler Road into the County Maintained Road System

DEPARTMENT: Public Works **DIVISION:** Road Operations and Stormwater

AUTHORIZED BY: W. Gary Johnson **CONTACT:** Mark E. Flomerfelt **EXT.** 5710
W. Gary Johnson, P.E., Dir. Mark E. Flomerfelt, P.E., Mgr.
Public Works Dept. Road Ops/Stormwater Division

Agenda Date <u>05/25/04</u>	Regular <input checked="" type="checkbox"/>	Consent <input type="checkbox"/>	Work Session <input type="checkbox"/>	Briefing <input type="checkbox"/>
	Public Hearing – 1:30 <input type="checkbox"/>		Public Hearing – 7:00 <input type="checkbox"/>	

MOTION/RECOMMENDATION:

Approve Cutler Road for acceptance into the Seminole County maintained road system upon completion of the tree removal by the Sweetwater Master Homeowners Association. District 3; Commissioner Van der Weide; (Mark Flomerfelt)

BACKGROUND:

Cutler Cove is a platted, single-road subdivision constructed by the Huskey Company in 1978. The County could not officially accept the road in 1979, however, because the roadway drainage swales had been filled in as individual homes were constructed.

Over the course of the next 25 years, various attempts were made to place the road into the County system. More recently, over the past nine years, the District Commissioner, County staff and the Sweetwater Oaks Homeowners Association have discussed acceptance of Cutler Road into the County Road System pending tree removal between the paved edge of the road and the sidewalk. The homeowners met with the District Commissioner and County staff again on February 12, 2004. The proposal for removal of trees from the area between the edge of pavement and sidewalk was once more put forth, and the Sweetwater Oaks Homeowners Association Board agreed to take the tree removal issue to the Master Association. The Sweetwater Master Association has now voted to arrange for removal of the trees and has indicated that they are ready to proceed, pending confirmation that the road will be accepted into the County system.

Contingent upon removal of the trees, staff recommends that Cutler Road be accepted into the County maintained road system. County forces will then regrade the swales to their original design and initiate routine maintenance activities.

Reviewed by:	<u>JR</u>
Co Atty:	<u>JR</u>
DFS:	_____
Other:	_____
DCM:	<u>MB</u>
CM:	<u>VB</u>
File No.	<u>RPWS02</u>